

US Hardware Supply

USHardwareSupply.com toll free number 877-379-USHS (or 877-379-8747)

Custom Pool Cover Quote/Order Form

Complete form, scan and email to customerservice@ushardwaresupply.com

Contact Information

Name _____ Date _____
Work Order# _____
Company _____
Address _____
City _____
State _____ Zip _____
Tel # _____
Email Address _____

Shipping Information

Ship To _____
Address _____
City _____
State _____ Zip _____
Ship Via: _____

Cover Type

- Standard Mesh (12yr)
 Super Mesh (15yr)

Cover Color

- Green
 Blue

Spacing

- 5' x 5'
 3' x 3'

Note: Form Fit shaped covers available in 3' x 3' spacing only. All covers will be quoted with 5' x 5' spacing when possible.

Fastener Type

- Concrete Anchors
 Wood Deck Anchors
 Lawn Anchors
 Brick Paver Anchors

AVOID DELAYS IN PROCESSING BY ANSWERING ALL THE QUESTIONS BELOW!

Please send photos for any unique or special requirements

How much deck is available?

- More than 3'
 Less than 3'

Note: Please supply photos of any areas that are less than 3' from pool edge.

Is there a diving board?

- Yes
 No

Distance from pool edge _____

Note: Cutouts are required if non-removable object(s) are within 12"- 18" of pool edge. Supply photo(s).

Deck type?

- Concrete
 Wood
 Lawn
 Pavers

Other _____

Note: If material other than plastic coping or concrete comes to pool edge, perimeter padding may be needed.

**CHECK YES OR NO
IF YES, EXPLAIN**

YES NO

**CHECK YES OR NO
IF YES, EXPLAIN**

YES NO

1. Are there any non-removable handrails, grab rails, or ladders? YES NO
- a. "A-B" dimensions are required to front center of all rails, blocks, cups and to the pints where rails dip below coping.
- b. Distance rails extended into pool _____
- c. Distance rails set back from pool _____

Type of grab rail: Rail
 Concrete Block/Anthony Type

2. Are there any raised rail sockets? YES NO
- a. "A-B" measure front center of socket.
- b. Height of sockets _____

3. Are there any grab rocks? YES NO
- a. if yes, **PLEASE SEND PHOTO**
"A-B" front center of each grab rock, and provide width of each.
- b. Width of each grab rock _____
Distance set back from pool _____

4. Is there a non-removable fill spout? YES NO
- a. "A-B" dimensions needed for start and end of pipe.
- b. Fill spout is: Level with deck
 Raised
if raised how high _____
Distance set back from pool _____
- c. Is end of spout below coping? _____
Distance into pool _____
Distance below coping level _____

5. Is there a dive stand? YES NO
- a. Distance set back from pool _____
"A-B" Measure base if closer than 2' from pool line.
- b. Is diving board removable? _____
- c. Is USHS Dive Stand Kit required? _____

6. Is there any dive rock? YES NO
- a. if yes, **PLEASE SEND PHOTO**
"A-B" the sides and front of rock, as well as the pool wall, using 1' intervals, PT. #'s _____
- b. Distance rock overhangs pool edge _____
Distance rock extends below deck level _____

7. Are there slide legs within 2' of pool? YES NO
- a. if yes, give "A-B" dimensions to each leg, and give the distance each is set back from pool edge.

8. Is there a spa? If yes, **PLEASE SEND PHOTO!** YES NO
- a. Is spa included in this estimate/order? _____
Is separate cover required for spa? _____
One cover for pool and spa? _____
- b. Is spa raised above pool? _____
if yes, how high? _____
- c. Is spa dividing wall flush with top of coping? _____
"A-B" DIMENSIONS REQUIRED ALONG SPA WALL ON BOTH SPA AND POOL SIDE OF WALL."
- d. Does spa wall have an open spill way _____
If yes, "A-B" dimensions are required to locate spillway.
- e. If solid w/ drains, is drain panel wanted in spa area? _____
- f. Are there any other specific spa cover design instructions? _____
Please specify _____

9. Is there a waterfall or rock formation? YES NO
- a. If yes, **PLEASE SEND PHOTO!**
"A-B" the beginning, the end, and the front and sides of the formation, as well as the pool wall, at 1' intervals.
- b. Is wall strong enough for cover to attach to it with snap hooks and eyebolts? _____
- c. Distance rocks overhang pool edge _____

9. Are there varying deck levels? YES NO
- a. If yes, **PLEASE SEND PHOTOS!**
Indicate height of each level change, and "A-B" each level, including points on risers to show angle away from pool edge.

10. Is there a wood deck area? YES NO
- a. If yes, show location on sketch.
- b. Are wood deck anchor flanges required? _____

Scan completed Quote/Order forms and attach all photos.

send to:

customerservice@USHardwareSupply.com

MEASURING INSTRUCTIONS

(SEE VIDEO)

	A	B		A	B		A	B
1			21			41		
2			22			42		
3			23			43		
4			24			44		
5			25			45		
6			26			46		
7			27			47		
8			28			48		
9			29			49		
10			30			50		
11			31			51		
12			32			52		
13			33			53		
14			34			54		
15			35			55		
16			36			56		
17			37			57		
18			38			58		
19			39			59		
20			40			60		

1. Begin with a freehand sketch indicating inside pool dimensions. Include deck area planters and any obstructions within 3' of the waterline. A photo of the pool is needed when rocks, waterfalls, raised walls, spas or anything out of the ordinary exists.

2. Establish two points, "A-B" with "A" on the left as shown. "A-B" line must be at least 3' away from the pool and 2/3 the length of the pool; 20'-25' is typical (show this on the sketch). To mark "A-B" points on deck - use chalk marks, on ground - use stakes in the dirt.

NOTE: The "A-B" line must never cross the pool line and should be approximately 3' away from the pool at the closest point (4' to 5' away for pools over 44' long).

3. Using chalk, mark and number points along the inside edge of the pool at approximately 3' intervals. Number all corner points, ladders, handrails, grab rails, slide legs, rocks, spillways, spa walls separating spa and pool, fill spout and dive stand. 1' to 2' intervals should be used in small or tight radius areas and raised wall areas. At least 3 points along straight walls.

4. Measurements are now taken from point "A" to point #1, then point #2, and all the way around the pool. Then measure from point "B" to same point #1 and then #2, as you did for point "A". Measurements are listed in column format as shown.

5. Take measurements between 2 known points to determine the length and width of the pool. Additional measurements for difficult pools are suggested. Cross dimensions to any raised beam obstacles are also recommended.

 PROVIDE INSIDE POOL DIMENSIONS ONLY - SHOW LOCATION OF POINTS "A" & "B" IN RELATION TO POOL - SHOW ALL OBSTRUCTIONS & PLANTERS
 - SHOW AREAS WHERE DECK IS LESS THAN 3' FROM WATERLINE TO OUTSIDE OF DECK INCLUDING COPING

**** DISTANCE FROM POINT "A" TO POINT "B" = _____ ****

"A-B" Measurements cannot be used unless this distance is given!

